Colorado Resource Sharing Pre-conference • April 27, 2022

Basic automations

Alena Miller

Product Manager, Resource Sharing

Jenny Rosenfeld

Sr Product Analyst, Resource Sharing



You'll be able to...

Basic automations

- Describe some examples and benefits
- Understand the key components
- Create your own



This Photo by Unknown Author is licensed under CC BY-SA-NC

Examples of basic automations


- Send requests directly to lenders for books that are 2+ years old and available for free
- Send requests directly to lenders for articles that are available at low cost

Goal: Automate routine requests, so you have more time for the requests that require your attention.

Provide better service to your users!



Automations in every-day life




Benefits of basic automations

Borrowing	Lending
 Speeds borrowing turnaround time Selects the best WorldCat record Gets the request to your best potential lenders most quickly Considers deflections, licenses, and 	 Speeds lending turnaround time Load balances requests across libraries Considers each library's typical queue size to avoid sending too
 Allows you to send directly to lenders or to staff review first Ensures accuracy of information in the request, e.g., max cost 	 many requests at once Ensures requests are sent to libraries most likely to fill them

oc.lc/sf-get-started



Key components of automated requesting





BIBLIOGRAPHIC MATCHING

Borrowing
request
created by
library user or
ILL staff
member

Bibliographic matching, holdings and KB check, duplicate check Custom
holdings path
used to build a
smart lender
string

Constant data
applies
maximum cost
and other
details

Request sent to lenders (or staff review)



Submitting the request for bib matching

- Requests submitted via a patron request form (Tipasa or WorldCat Discovery) go through standard automations.
 - Bibliographic record matching
 - WorldCat holdings check
 - Knowledge base holdings check
- WorldShare ILL users should manually submit requests to automation.
- ILLiad users need a routing rule for "Direct Request."




Automation depends on bib matching

- If the system doesn't find a match, the request goes to your review queue.
- To help the system find a match:
 - Include ISSN/ISBN and/or OCLC number on your request forms.
 - Use basic automations as a "first cut," and trust the identifier provided by the patron.

Goal: Only review requests that weren't matched by your automation.



Manual





CUSTOM HOLDINGS PATH

Borrowing request created by library user or ILL staff member

Bibliographic matching, holdings and KB check, duplicate check

Custom
holdings path
used to build a
smart lender
string

Constant data
applies
maximum cost
and other
details

Request sent to lenders (or staff review)




Use a path of "best" lenders

- Things to consider when picking best lenders
 - Free or reciprocal
 - Fast turnaround, good fill rate
 - Geographically close (for loans)
- Order the groups in your paths to match your library's needs.

Goal: Save time by no longer manual building lender strings. And get requests to the best potential lenders quickly.



An example custom holdings path





Custom holdings path

Loan examples		Copy examples	
 FREEBOOK Your free/reciprocal lenders (in-state) LVIS* (in-state) LVIS (all states) Your free/reciprocal lenders (other states) 	FAVORITELENDERS 1. Your free/reciprocal lenders (in-state) 2. Your low-cost lenders (in-state) 3. Your low-cost lenders (other	FREECOPY 1. LVIS 2. Your free/ reciprocal lenders	SUPERFAST 1. Your most reliable/fast lenders (e.g., Express libraries**) 2. Your next
icriders (other states)	states) 4. Your other reliable lenders		most reliable/fast lenders

^{*} Members commit to share with other LVIS members at no charge. **Members commit to 18-hour average turnaround time.



CONSTANT DATA

Borrowing request created by library user or ILL staff member

Bibliographic matching, holdings and KB check, duplicate check Custom
holdings path
used to build a
smart lender
string

Constant data
applies
maximum cost
and other
details

Request sent to lenders or staff review)



Ensure accuracy with constant data

- To ensure you are not charged:
 - Specify Maximum Cost = 0.00
 - Deselect IFM
- To enforce a max cost:
 - Specify Maximum Cost = 20.00 (for example)
 - Select IFM
- For loans, consistently apply other important data:
 - Shipping and billing addresses
 - Preferred shipping methods
 - Borrowing notes



Ensure accuracy with constant data

(continued from previous slide)

- Typically use one constant data records for loans and another for copies.
 - However, DEFAULT can be used for both if your max cost is the same for loans and copies.

Goal: Ensure your max cost and other borrowing data are consistently applied to requests.



An example constant data

WorldShare ILL	Configure Borrower Co	onstant Data			Help on this screen
Interlibrary Loan Options	Required fields are marked with an asterisk * Constant Data Record	FREE			
Borrower Data	Borrowing Library Information				
Lender Data	* Constant Data Record Name:	FREE			Create New CD record
Custom Holdings Groups	Description:	Used for automation - max cost 0.00, no IFM (create	d Dec 2021)		
Custom Holdings					
· · · · · · · · · · · · · · · · · · ·					
Borrower Data	☐ ILL Fee Management (IFI	M):			\neg
Lender Data	Maximum Cost:	0.00	Currency:	USD	~
Custom Holdings		If you only want items that a		ole for whatever the lend	der charges.




CREATE YOUR AUTOMATION



All for one, and one for all

Matches	Actions
Request Type: Loan	If Held By Your Institution, Route to Review. (or) If Duplicate Request, Route to Review. (else) Send Request to Lenders if at least 1 lender(s) from Custom Holdings Path FAVORITELENDERS hold(s) the item. Apply Constant Data LOANS.
Request Type: Copy	If Held By Your Institution, Route to Review. (or) If Duplicate Request, Route to Review. (else) Send Request to Lenders if at least 1 lender(s) from Custom Holdings Path SUPERFAST hold(s) the item. Apply Constant Data: COPIES.



This Photo by Unknown Author is licensed under CC BY-SA

oc.lc/basic-automations




Create your automation

- In OCLC Service Configuration (<u>worldcat.org/config/</u>), navigate to WorldShare ILL > Automated Request Manager.
- 2. Click either **Add New** or **Edit** (for an existing automation).
- 3. Name your automation.
- 4. Specify Matches, Actions, and Exceptions.
- 5. Click Save.



Open the automated request manager






Create a new automation





Add a name and priority






Add match criteria






Add actions









Add actions








Add exceptions







Save your automation





Review

Basic automations

- Describe some examples and benefits
- Understand the key components
- Create your own

Provide better service to your users!




This Photo by Unknown Author is licensed under CC BY-SA-NC

Resources

Resource	URL
Smart fulfillmentAutomated request managerSmart lender strings	oc.lc/sf-get-started
Basic automations (examples and tips)	oc.lc/basic-automations oc.lc/basic-automations-Tipasa
Virtual Workshop Series: Learn how to fine- tune your ILL setup • Custom holdings paths • Constant data	tinyurl.com/oclcfinetune
OCLC Support	oc.lc/support



Please share your feedback



forms.office.com/r/CzjGSdeuuy



Thank you!

Alena Miller and Jenny Rosenfeld

oclcresourcesharing@oclc.org

Because what is known must be shared.

